



Release Notes

EWS Switch Controllers

v1.06.21_c1.8.77

10th September, 2018

This document provides release information for EWS switches

Table of contents

Introduction	3
What's New	4
Supported Platforms	5
Upgrade Information	6
Limitation	6
Fixed Bugs	6

Introduction

This document provides release information for EWS switches v1.06.21_c1.8.77, including enhanced functions and to fix known issues. **The v1.06.21_c1.8.77 will be the final version of EWS switches for capwap(c) 1.8 generation.**

What's New?

Below are the new features included in this release:

- Users should upgrade EWS switches from v1.05.52_c1.8.61 to v1.06.21_c1.8.77 if user would like to upgrade to the next generation EWS switches v1.0.7.12_c1.9.15.
- The v1.06.21_c1.8.77 EWS switches has been supported the checking mechanism on EWS300AP if they would like to upgrade these models to be compliance with EWS switches v1.0.7.12_c1.9.15.
- The v1.06.21_c1.8.77 EWS switches has been supported the checking mechanism on EAP1300 and ENS620EXT. Users should upgrade both AP firmware to the middle version and then go to the final version.

Supported Platforms

The AP firmware with **v3.1.x or early version** can be worked with v1.06.21_c1.8.77 EWS switch controllers if capwap version is equaled to c1.8.x. The supported Access Points is listed as the following:

- EWS210AP
- EWS300AP
- EWS310AP
- EWS320AP
- EWS350AP
- EWS360AP
- EWS370AP
- EWS371AP
- EWS500AP
- EWS510AP
- EWS550AP
- EWS650AP
- EWS660AP
- EWS860AP
- EWS870AP
- EWS871AP
- ENS610EXT
- ENS620EXT
- EAP1250
- EAP1300(EXT)
- ENH1350EXT

Upgrade Information

In order to ensure compatibility between your devices, both the ezMaster and EWS APs must be operated under c1.8.x.

Limitation

The EWS210AP and EWS320AP will no longer be supported in v1.0.9_c1.9.15 or the later version of EWS switches.

Fixed bugs

The section lists fixed bugs of the last release

1. L2 Isolation

Known Issues

This section lists the known issues in this release.

1. Scheduler: The setting value will be reverted to default value. User may need to set again if they would like to use this function.

HQ, Taiwan

www.engeniusnetworks.com

Costa Mesa, California, USA | (+1) 714 432 8668

Toronto, Ontario, Canada | (+1) 905 940 8181

www.engenlustech.com

Singapore | (+65) 6227 1088

www.engenlustech.com.sg

Eindhoven, Netherlands | (+31) 40 8200 888

www.engeniusnetworks.eu

Dubai, UAE | (+971) 4 339 1227

www.engenius-me.com

EnGenius®

Features and specifications subject to change without notice. Trademarks and registered trademarks are the property of their respective owners. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his/her own expense. Prior to installing any surveillance equipment, it is your responsibility to ensure the installation is in compliance with local, state and federal video and audio surveillance and privacy laws.