

## **Release Notes**

**ECS1528/ECS1528FP/ECS1552/ECS1552FP/ECS2512FP/E  
CS2512/ECS5512FP/ECS5512**

**Ver. v1.1.40**

## Revision History

Revision	Date	Reason of Changes
V1.1.40	Oct 26, 2020	New feature, change, and fix update

## Change Log

F/W Version	V1.1.40
Type	Description
New Feature	<ol style="list-style-type: none"><li>1. Add Connection Diagnostic page in ECS local web management.</li><li>2. Add "Extend" link-speed mode in port setting page. (Not supported in multi-G series because it is without 10Mbps-speed.)</li><li>3. Support 2K static VLAN entries.</li><li>4. Add "On", "Off" action for Scheduled PoE. (for Cloud)</li><li>5. Add DHCP snooping / relay features for Cloud Agent. (for Cloud)</li></ol>
Change	<ol style="list-style-type: none"><li>1. Adjust the hybrid service priority for Cloud Agent and WTP process.</li></ol>
Fix	<ol style="list-style-type: none"><li>1. Enclose fix for showing memory usage over 100%</li><li>2. Enclose fix to display correct topology in ezMaster.</li><li>3. Enclose fix to indicate correct link speed for switch port in ezMaster.</li></ol>