



PDU 6P 12A 100-120V

クラウド管理型1U 12A スマートPDU、6つの計測アウトレット付き

Overview

EnGenius クラウド管理 1U 12A スマートPDU 6計測アウトレット付・PDU 6P 12A 100-120V (ECP106) は、様々な用途に対応するクラウドベースの電力管理ソリューションです。リモートおよびローカル制御、効率的なエネルギー管理、そして高度なサージ保護を提供します。さらに、EnGeniusデバイス全体の統一管理を提供し、複数デバイスの電源サイクルを可能にすることで、メンテナンスとトラブルシューティングを簡素化します。



Features & Benefits

機能

- アウトレットごとのリアルタイム電力消費監視とアラーム
- アウトレットごとのリモートスイッチング
- 電力情報を視覚化する1.3インチディスプレイ
- インターネット障害からの自動再接続試行
- 分析レポート付きローカルおよびクラウド管理

安全性

- 過負荷保護のための15Aサーキットブレーカー
- 耐火MOVおよび接地保護
- FCC, IC, UL1449

統合

- RESTFUL API対応
- SNMP v1 2c 3対応

Technical Specifications

Input

Nominal Voltage	100-120V
Frequency	50/60Hz
Derated Input Current	12A
Plug Type	SJT 14AWG
Power Cord Type	NEMA-5-15P
Power Cord Length	1830mm
LED indicators	1 x Outlet Power Switch 2 x LAN 1 x Outlet Power Indicator 1 x Grounded Indicator 1 x SPD Indicator

Output

Nominal Voltage	100-120V
Frequency	50/60Hz
Derated Input Current	12A
Outlet Type	NEMA-5-15R
Outlet Number	6
Overload Protection	15A
Maximum Power Consumption	1440W for 120V

Environmental & Physical

Physical Interfaces	2 x 10/100/1000 BASE-T IEC-C13 Inlet Reset Button 15A Circuit Breaker
Operating Temperature	Operating: 0°C ~ +50°C
Storage Temperature	Storage: -30°C ~ +70°C
Storage Humidity	Humidity 5% ~ 95% RH Non-condensing
Surge Protection	Yes
ESD Protection	Yes


Dimensions & Weight

Weight	1035 g
Dimensions	440 x 44 x 70 mm
Enclosure material	AL6063
Package Contents	1 – ECP106 PDU 1 – Power Cord 1 – Mounting Brackets 4 – Rubber Feet Cushion 8 – M3x5 Screws 4 – T4x19 Screws 4 – Spacer 1 – Drywall Anchor Kit

Compliance & Warranty

Safety Compliance	UL1449 type5, UL62368-1, CSA22.2
WEEE	Yes
RoHS	Yes
Regulatory Compliance	FCC IC

Hardware Overviews



EnGenius Technologies | Costa Mesa, California, USA

Email: support@engeniustech.com
Website: www.engeniustech.com
Local contact: (+1) 714 432 8668

EnGenius Networks Singapore Pte Ltd. | Singapore

Email: techsupport@engeniustech.com.sg
Website: www.engeniustech.com/apac/
Local contact: (+65) 6227 1088

EnGenius Technologies Canada | Ontario, Canada

Email: support@engeniustech.com
Website: www.engeniustech.com
Local contact: (+1) 905 940 8181

EnGenius Networks Dubai | Dubai, UAE

Email: support@engeniustech.com
Website: www.engeniustech.com/apac/
Local contact: (+971) 4 339 1227

EnGenius Networks Europe B.V. | Eindhoven, Netherlands

Email: support@engeniustech.com
Website: www.engeniustech.com/eu/
Local contact: (+31) 40 8200 887

恩碩科技股份有限公司 | Taiwan, R.O.C.

Email: sales@engeniustech.com.tw
Website: www.engeniustech.com/tw/
Local contact: (+886) 933 250 628

機能と仕様は予告なく変更されることがあります。商標および登録商標は、それぞれの所有者の財産です。これらの限界は、住宅設置における有害な干渉から合理的に保護するために設計されています。この機器は、無線周波数エネルギーを生成し、使用し、放射することができ、指示に従って設置および使用されない場合、無線通信に有害な干渉を引き起こす可能性があります。この機器を住宅地域で運用すると、有害な干渉を引き起こす可能性が高く、その場合、ユーザーは自費で干渉を修正する必要があります。監視機器を設置する前に、設置が地域、州、および連邦の映像および音声監視およびプライバシー法に準拠していることを保証する責任があります。

